

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	477	330/311.ccls.	USPAT	OR	ON	2005/09/22 14:06
S2	600	330/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:51
S3	10	("3997852" "5898168" "6127886" "6163215" "6172549" "6292060" "6304145" "6313705" "6417734" "6492872").PN. OR ("6803824").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/15 14:03
S4	19	delay and variable and 330/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 09:54
S5	11	cascode and delay and variable and 330/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 09:55
S6	113	cascode and delay and variable and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 10:01
S7	95	control adj2 circuit and cascode and delay and variable and (2nd or second) adj transistor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 10:06
S8	54	ballast and control adj2 circuit and delay and variable and (2nd or second) adj transistor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 10:06
S9	93	(2nd or second) adj transistor and 330/285.ccls.	USPAT	OR	OFF	2005/09/20 10:09
S10	700	330/296.ccls.	USPAT	OR	OFF	2005/09/23 16:27
S11	313	(2nd or second) adj transistor and 330/296.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 11:43
S12	33	("3708756" "4041407" "4319195" "4757271" "4833423" "4881046" "5280633").PN. OR ("5404585").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/20 10:32
S13	13	(2nd or second) adj transistor and 330/127.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 11:46

S14	8	(2nd or second) adj transistor and 330/199.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 11:46
S15	292	(power adj amplifi\$4) and ((2nd or second) adj transistor) and delay and variable	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 12:10
S16	59	(power adj control adj circuit) and ((2nd or second) adj transistor) and delay and variable	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 12:15
S18	255	bias\$4 and ((2nd or second) adj transistor) and delay and variable\$ and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 14:11
S20	574	transmitter and power adj control adj circuit and delay	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 13:03
S21	364	transmitter and power adj control adj circuit and delay and variable	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 13:04
S22	17	transmitter and power adj control adj circuit and delay and variable and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 13:08
S23	1460	455/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 13:08
S24	32	delay adj circuit and 455/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/20 13:08
S25	159	(cascode or cascade) and (2nd or second) adj transistor and 330/311, 281.ccls.	USPAT	OR	ON	2005/09/22 14:09
S26	8	("2943267" "3443238" "4559503" "5196805" "6137367" "6400226").PN. OR ("6864750").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 14:13
S27	7	("4881044").PN. OR ("5045808").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 14:25
S28	2	"6636119"	USPAT	OR	OFF	2005/09/23 11:13
S29	5	("4586004" "5043639" "5274342" "5440276").PN. OR ("6636119").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 11:45

S30	11	("5392004" "5493255" "5548248" "5764107" "5889433" "5923215" "5929710").PN. OR ("6122532").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 11:47
S31	5	("4586004" "5043639" "5274342" "5440276").PN. OR ("6636119").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 13:30
S32	19	variable near current and 330/311. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 14:10
S33	1599	bias\$4 and ((2nd or second) adj transistor) and variable\$ and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 15:10
S34	211	bias\$4 and ((2nd or second) adj transistor) and variable\$ near current and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 15:11
S35	3	("5994964" "6121841").PN. OR ("6535065").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 14:16
S36	3	("5994964" "6121841").PN. OR ("6535065").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 14:36
S37	2108	(bias or ballast) and (variable near (resistor or capacitor or current)) and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 15:12
S38	417	converter and (bias or ballast) and (variable near (resistor or capacitor or current)) and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 14:48
S39	42	D/A and (bias or ballast) and (variable near (resistor or capacitor or current)) and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 14:48
S40	4	("5999056" "6392487" "6404283").PN. OR ("6724259").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 14:51
S41	10	("3997852" "5898168" "6127886" "6163215" "6172549" "6292060" "6304145" "6313705" "6417734" "6492872").PN. OR ("6803824").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 14:53
S42	97	(bias or ballast) and (variable near (resistor or capacitor)) and (variable near current) and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 15:13

S43	231	330/281.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 15:47
S44	701	330/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 16:11
S45	60	variable near2 current and 330/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 15:48
S46	11	("3003115" "3177439" "3274505" "3482167" "3551834" "3723895").PN. OR ("3882410").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 16:07
S47	1032	330/296.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 16:15
S48	20	variable adj current and 330/296.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 16:12
S49	269	bias and ((2nd or second) adj transistor) and 330/296.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/23 16:15
S50	12	variable and 330/96.ccls.	USPAT	OR	OFF	2005/09/23 16:28
S51	31	variable and 330/98.ccls.	USPAT	OR	OFF	2005/09/23 16:28
S52	9	("2761019" "3470486" "3513404" "4025871" "6144254").PN. OR ("6396347").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 16:38
S53	3	("5994964" "6121841").PN. OR ("6535065").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/23 16:41
S54	3	("5994964" "6121841").PN. OR ("6535065").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 10:55
S55	4155557	digital power control circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 10:55
S56	10	digital adj power adj control adj circuit	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 10:56
S57	10	("5101501" "5485486" "5778307" "5870425").PN. OR ("6256502").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:05

S58	783	variable adj current adj source and digital	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:06
S59	61	variable adj current adj source and digital adj input and bias\$	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:08
S60	783	variable adj current adj source and digital	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:08
S61	67	variable adj current adj source and digital and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:21
S62	2137	power adj amplifier and power adj control and converter	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:22
S63	47	power adj amplifier and power adj control and converter and 330/285.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:51
S64	2	"6759909"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 11:51
S65	2	"6759906"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:18
S66	27	control\$4 near power adj output and step\$4 adj voltage	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:22
S67	2024	digital and power adj control\$4 adj signal	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:24
S68	29	digital and power adj control\$4 adj signal and step\$4 near voltage and delay	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:32
S69	0	nilson adj "chris.inv"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:32
S70	0	nilson adj "chris.inv."	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:32
S71	2	nilson adj chris.inv.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:34
S72	2	nilson adj chris.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/26 15:35

S73	0	chris adj nilson.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/26 15:35
S74	2	nilson adj chris.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/26 15:43
S75	112	step adj voltage and delay and power adj control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/26 15:44
S76	18	("20020053947" "20020070809" "20020153937" "20020167355" "20020196080" "20030001675" "20030020544" "20030071286" "4564818" "6064265" "6288609" "6400218" "6414547" "6445248" "6509796" "6525601" "6525609" "6535065").PN. OR ("6930554").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 15:55
S77	10	("5101501" "5485486" "5778307" "5870425").PN. OR ("6256502").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/26 16:04
S78	27	power adj amplifi\$4 and digital near2 control and 330/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 09:19
S79	208	digital and 330/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 09:32
S80	12	digital adj power adj control adj (unit or circuit or block)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 11:16
S81	0	step\$4 near3 control\$4 and 330/285/ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 11:17
S82	49	step\$4 near3 control\$4 and 330/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:27
S83	3	("5548247" "5905409" "6114911").PN. OR ("6639471"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 11:18
S84	7	("5146178" "5406224" "5412347").PN. OR ("5905409"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 11:19

S85	402	step\$4 near3 control\$4 and digital and variable and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:28
S86	62	step\$4 near3 control\$4 and digital and variable adj (resistor or capacitor) and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 15:31
S87	49	step\$4 near3 control\$4 and "330"/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:42
S88	35	step\$4 near2 voltage and "330"/285.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:43
S89	3	digital and power adj control\$4 and 330/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:53
S90	8	digital and power near control\$4 and 330/311.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:54
S91	73	variable near bias and digital and "330"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:58
S92	38	Klomsdorf adj armin.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 14:58
S93	13	("20030141927" "4348644" "4442407" "5060294" "5101172" "5625322" "5673001" "6020787" "6160449" "6166598" "6281748" "6349216" "6556814").PN..OR ("6794935").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 15:07
S95	299	variable adj bias and circuit and step and digital	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 15:46
S96	162	variable adj bias and circuit and step and digital and converter	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 15:33
S97	1	"6794935"	USPAT	OR	OFF	2005/09/27 15:37

S98	13	("20030141927" "4348644" "4442407" "5060294" "5101172" "5625322" "5673001" "6020787" "6160449" "6166598" "6281748" "6349216" "6556814").PN. OR ("6794935"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/27 15:42
S99	21	variable adj bias adj circuit and variable adj (capacitor or resistor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 15:48
S10 0	125	variable adj bias adj circuit	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/09/27 15:48